

This brief contains 2009 chronic disease health data for the North Coastal Region of San Diego County. Data are provided from the Community Health Statistics Unit and the 2009 California Health Interview Survey.



| Demographics <sup>1</sup>  | North Coastal<br>Region (%) | County (%) |
|--|-----------------------------|------------|
| Ages 0-14  | 20.58                       | 19.92      |
| Ages 15-24   | 17.41                       | 15.67      |
| Ages 25-44   | 26.72                       | 28.57      |
| Ages 45-64   | 23.96                       | 24.28      |
| Ages 65+   | 11.34                       | 11.56      |
| White  | 58.84                       | 49.78      |
| Black  | 4.16                        | 5.22       |
| Hispanic   | 27.84                       | 30.21      |
| Asian/Pacific Islander   | 5.56                        | 10.65      |
| Other  | 3.60                        | 4.14       |
| Households with income less than 200% Federal Poverty Level (FPL)# | 25.17                       | 28.44      |

|                                | North Coastal Region |        | County |        |
|--------------------------------|----------------------|--------|--------|--------|
| Health Outcomes <sup>2</sup>   | Number               | Rate** | Number | Rate** |
| Coronary Heart Disease         |                      |        |        |        |
| Death                          | 552                  | 102.8  | 3,415  | 107.2  |
| Hospitalization                | 1,488                | 277.1  | 10,129 | 318.0  |
| Emergency Department Discharge | 150                  | 27.9   | 784    | 24.6   |
| Stroke                         |                      |        |        |        |
| Death                          | 171                  | 31.8   | 1,080  | 33.9   |
| Hospitalization                | 990                  | 184.3  | 6,734  | 211.4  |
| Emergency Department Discharge | 268                  | 49.9   | 1,306  | 41.0   |
| Diabetes                       |                      |        |        |        |
| Death                          | 67                   | 12.5   | 555    | 17.4   |
| Hospitalization                | 438                  | 81.6   | 4,029  | 126.5  |
| Emergency Department Discharge | 545                  | 101.5  | 4,228  | 132.7  |
| COPD                           |                      |        |        |        |
| Death                          | 171                  | 31.8   | 916    | 28.8   |
| Hospitalization                | 449                  | 83.6   | 3,341  | 104.9  |
| Emergency Department Discharge | 1,250                | 232.7  | 8,009  | 251.4  |
| Asthma                         |                      |        |        |        |
| Death                          | <5                   | §      | 22     | 0.7    |
| Hospitalization                | 249                  | 46.4   | 2,433  | 76.4   |
| Emergency Department Discharge | 1,007                | 187.5  | 9,779  | 307.0  |
| Cancer, All Causes             |                      |        |        |        |
| Death                          | 750                  | 139.6  | 4,734  | 148.6  |



| Access and Utilization <sup>3</sup>        | North Coastal Region (%) | County (%) |
|--|--------------------------|------------|
| No Usual Source of Care (ages 18-64)       | 15.2                     | 13.2       |
| Uninsured All or Part of Year (ages 18-64) | 18.5                     | 23.2       |
| Prescription Drug Coverage (ages 18-64)    | 93.9                     | 94.5       |

| Health Behaviors & Related Health Factors <sup>3</sup> | North Coastal Region (%) | County (%) |
|--|--------------------------|------------|
| Current Smoker (ages 18+)                              | 10.0                     | 12.8       |
| Overweight/Obese (ages 18+)                            | 56.3                     | 55.3       |
| Walked for Transport, Fun/ Exercise (ages 18+)         | 73.1                     | 75.7       |
| Ate Fast Food 2 or More Times in Past Week (all ages)  | 29.2                     | 35.5       |
| Binge Drinking in Past Year (ages 18+)                 | 31.0                     | 34.8       |
| Ever Diagnosed with High Blood Pressure (ages 18+)     | 24.3                     | 26.3       |
| Ever Diagnosed with Diabetes (ages 18+)                | 5.0                      | 7.8        |
| Ever Diagnosed with Asthma (all ages)                  | 12.9                     | 12.3       |

#### Sources

- 1. Current Demographic Estimates, San Diego Association of Governments (SANDAG), 2010.
- 2. County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 2011.
- 3. UCLA Center for Health Policy Research, California Health Interview Survey (CHIS), 2009.
- § Rates and percents not calculated for fewer than 5 events.
- \*\* Rates are per 100,000 population.
- #: Federal Poverty Level for 2009 (\$10,830 for single person, \$3,740 for each additional person, \$22,050 for four-person-family).



This brief contains 2009 communicable disease health data for the North Coastal Region of San Diego County. Data are provided from the Community Health Statistics Unit and the 2009 California Health Interview Survey.



| Demographics <sup>1</sup>  | North Coastal<br>Region (%) | County (%) |
|--|-----------------------------|------------|
| Ages 0-14  | 20.58                       | 19.92      |
| Ages 15-24   | 17.41                       | 15.67      |
| Ages 25-44   | 26.72                       | 28.57      |
| Ages 45-64   | 23.96                       | 24.28      |
| Ages 65+   | 11.34                       | 11.56      |
| White  | 58.84                       | 49.78      |
| Black  | 4.16                        | 5.22       |
| Hispanic   | 27.84                       | 30.21      |
| Asian/Pacific Islander   | 5.56                        | 10.65      |
| Other  | 3.60                        | 4.14       |
| Households with income less than 200% Federal Poverty Level (FPL)# | 25.17                       | 28.44      |

|   | North Coastal Region |        | County |        |
|---|----------------------|--------|--------|--------|
| Health Outcomes <sup>2</sup>            | Number               | Rate** | Number | Rate** |
| Tuberculosis                            | 13                   | 2.4    | 223    | 7.0    |
| Chronic Hepatitis C, Reported           | 317                  | 59.0   | 4,540  | 142.5  |
| AIDS Incidence                          | 28                   | 5.2    | 363    | 11.4   |
| Chlamydia Reported, Underestimate‡      | 1,528                | 284.5  | 14,233 | 446.8  |
| Gonorrhea Reported, Underestimate‡      | 124                  | 23.1   | 1,838  | 57.7   |
| Primary and Secondary Syphilis Reported | 9                    | 1.7    | 263    | 8.3    |

| Access and Utilization <sup>3</sup>   | North Coastal Region (%) | County (%) |
|---|--------------------------|------------|
| No Usual Source of Care (ages 18-64)  | 15.2                     | 13.2       |
| Uninsured All or Part of Year (ages 18-64)                                    | 18.5                     | 23.2       |
| Prescription Drug Coverage (ages 18-64)                                       | 93.9                     | 94.5       |
| Health Behaviors & Related Health Factors <sup>3</sup>                        | North Coastal Region (%) | County (%) |
| Binge Drinking in Past Year (ages 18+)  | 31.0                     | 34.8       |
| Tested for STD in Past 12 Months (ages 12-17 who have had sexual intercourse) | *                        | 36.5       |
| 4 or More Sexual Partners in Last 12 Months (ages 18-64)                      | *                        | 3.9        |
| Has had Flu Vaccination in Past 12 Months (ages 18+)                          | 37.9                     | 41.1       |
| Has had Flu Vaccination in Past 12 Months (ages 0-11)                         | 56.0                     | 55.6       |



#### Sources

- 1. Current Demographic Estimates, San Diego Association of Governments (SANDAG), 2010.
- 2. County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 2011.
- 3. UCLA Center for Health Policy Research, California Health Interview Survey (CHIS), 2009.
- **‡** Underestimate due to cases with unknown residence. Approximately 30% of chlamydia and gonorrhea cases have missing residence data each year.
- \* Indicates statistically unstable estimate.
- \*\* Rates are per 100,000 population.
- #: Federal Poverty Level for 2009 (\$10,830 for single person, \$3,740 for each additional person, \$22,050 for four-person-family).



This brief contains 2009 injury data for the North Coastal Region of San Diego County. Data are provided from the Community Health Statistics Unit and the 2009 California Health Interview Survey.



|      | Demographics <sup>1</sup>  | North Coastal<br>Region (%) | County (%) |
|------|--|-----------------------------|------------|
|      | Ages 0-14  | 20.58                       | 19.92      |
|      | Ages 15-24   | 17.41                       | 15.67      |
| n    | Ages 25-44   | 26.72                       | 28.57      |
|      | Ages 45-64   | 23.96                       | 24.28      |
|      | Ages 65+   | 11.34                       | 11.56      |
|      | White  | 58.84                       | 49.78      |
|      | Black  | 4.16                        | 5.22       |
|      | Hispanic   | 27.84                       | 30.21      |
| in i | Asian/Pacific Islander   | 5.56                        | 10.65      |
|      | Other  | 3.60                        | 4.14       |
|      | Households with income less than 200% Federal Poverty Level (FPL)# | 25.17                       | 28.44      |

|  | North Coastal Region |            | County  |            |
|--|----------------------|------------|---------|------------|
| Health Outcomes <sup>2</sup>                             | Number               | Rate**/(%) | Number  | Rate**/(%) |
| Unintentional Injury (All Causes)                        |                      |            |         |            |
| Deaths   | 148                  | 27.6       | 949     | 29.8       |
| Hospitalizations   | 2,908                | 541.5      | 21,149  | 663.9      |
| Emergency Department Discharges                          | 21,499               | 4,003.1    | 149,437 | 4,691.2    |
| Fall-Related Injury                                      |                      |            |         |            |
| Deaths   | 35                   | 6.50       | 231     | 7.3        |
| Hospitalizations   | 1,513                | 281.7      | 10,734  | 337.0      |
| Emergency Department Discharges                          | 8,124                | 1,512.7    | 52,581  | 1,650.7    |
| Overdose/ Poisoning                                      |                      |            |         |            |
| Deaths   | 58                   | 10.8       | 409     | 12.8       |
| Hospitalizations   | 343                  | 63.9       | 2,365   | 74.2       |
| Emergency Department Discharges                          | 698                  | 130.0      | 4,677   | 146.8      |
| Motor Vehicle Injuries                                   |                      |            |         |            |
| Deaths due to Motor Vehicle (MV) Injury                  | 31                   | 5.8        | 242     | 7.6        |
| Hospitalizations due to MV Injury                        | 367                  | 68.3       | 2,676   | 84.0       |
| Emergency Department Discharges due to MV Injury         | 1,951                | 363.3      | 16,010  | 502.6      |
| Motor Vehicle Crash (MVC) Injuries                       | 2,739                | 510.0      | 18,459  | 579.5      |
| Alcohol-involved MVC Injuries                            | 378                  | 70.4       | 2,509   | 78.8       |
| Drinking Drivers Involved in MV Crashes                  | 256                  | 47.7       | 1,685   | 52.9       |
| Active Restraint Use, % of Motor Vehicle Occupants (MVO) | 2,000                | 93.8%      | 10,989  | 92.7%      |
| Injured†, Ages 6+  | 2,000                | 93.676     | 10,363  | 92.776     |
| Child Restraint Use, % of MVO Injured##, Ages 0-5        | 20                   | 58.8%      | 135     | 67.2%      |
| Pedestrian Injuries                                      |                      |            |         |            |
| Deaths due to Motor vehicle crashes (MVC)                | 7                    | 1.30       | 59      | 1.9        |
| Hospitalizations due to MVC                              | 42                   | 7.8        | 348     | 10.9       |



| HEALTH AND HUMAN SERVICES AGENC   |                      |               |        |            |
|---|----------------------|---------------|--------|------------|
|   | North Coastal Region |               | Co     | unty       |
| Health Outcomes <sup>1</sup>  | Number               | Rate**/(%)    | Number | Rate**/(%) |
| Emergency Department Discharges due to MVC  | 99                   | 18.4          | 963    | 30.2       |
| Injuries due to MVC   | 134                  | 25.0          | 1,054  | 33.1       |
| Assault   |                      |               |        |            |
| Homicide  | 13                   | 2.4           | 90     | 2.8        |
| Hospitalizations  | 130                  | 24.2          | 1,644  | 51.6       |
| Emergency Department Discharges   | 989                  | 184.2         | 8,188  | 257.0      |
| Self-Inflicted Injuries   |                      |               |        |            |
| Suicide   | 56                   | 10.4          | 365    | 11.5       |
| Hospitalizations  | 237                  | 44.1          | 1,590  | 49.9       |
| Emergency Department Discharges   | 349                  | 65.0          | 2,435  | 76.4       |
| Firearm-Related Injuries  |                      |               |        |            |
| Deaths  | 27                   | 5.0           | 200    | 6.3        |
| Hospitalizations  | 13                   | 2.4           | 186    | 5.8        |
| Emergency Department Discharges   | 24                   | 4.5           | 211    | 6.6        |
| Access and Utilization <sup>3</sup>   | North Coas           | tal Region (% | ) Co   | unty (%)   |
| No Usual Source of Care (ages 18-64)  | 1                    | L5.2          |        | 13.2       |
| Uninsured All or Part of Year (ages 18-64)  | 1                    | 18.5          | 23.2   |            |
| Prescription Drug Coverage (ages 18-64)   |                      | 93.9          | 94.5   |            |
| Health Behaviors & Related Health Factors <sup>3</sup>  | North Coas           | tal Region (% | ) Co   | unty (%)   |
| Binge Drinking in Past Year (ages 18+)  | 3                    | 31.0          |        | 34.8       |
| Experienced Physical or Sexual Violence By Intimate Partner in Past Year (ages 18-65)         |                      | *             |        | 2.6        |
| Ever Experienced Physical or Sexual Violence By an Intimate Partner Since Age 18 (ages 18-65) | 1                    | 16.9          |        | 13.7       |
| Ever Seriously Thought About Committing Suicide (ages 18+)                                    |                      | 7.6           |        | 8.0        |

#### Sources

- 1. Current Demographic Estimates, San Diego Association of Governments (SANDAG), 2010.
- 2. County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics Unit, 2011.
- 3. UCLA Center for Health Policy Research, California Health Interview Survey (CHIS), 2009.
- \* Indicates statistically unstable estimate.
- \*\* Rates are per 100,000 population.

†Active Restraint Use percentage is defined as those ages 6 years and older who were injured in motor vehicle crashes (MVC) occurring on public roads where the status of active restraint use was known. Data are by location of occurrence. The data come from the California Highway Patrol Statewide Integrates Traffic Records System.

#Federal Poverty Level for 2009 (\$10,830 for single person, \$3,740 for each additional person, \$22,050 for four-person-family).

tht Child Restraint Use percentage is defined as the percentage of children ages 0-5 who are properly restrained as motor vehicle occupants (MVO) in crashes occurring on public roads where the status of restraint use was known. Data are by location of occurrence. The data come from the California Highway Patrol Statewide Integrates Traffic Records System.

# **San Diego County Health Briefs** North Coastal Region This brief contains 2009 maternal and child health data for the North Coastal Region of San Diego County. Data



County

are provided from the Community Health Statistics Unit and the 2009 California Health Interview Survey.



| Demographics <sup>1</sup>         | North Coastal<br>Region (%) | County (%) |
|-----------------------------------|-----------------------------|------------|
| Ages 0-14                         | 20.58                       | 19.92      |
| Ages 15-24                        | 17.41                       | 15.67      |
| Ages 25-44                        | 26.72                       | 28.57      |
| Ages 45-64                        | 23.96                       | 24.28      |
| Ages 65+                          | 11.34                       | 11.56      |
| White                             | 58.84                       | 49.78      |
| Black                             | 4.16                        | 5.22       |
| Hispanic                          | 27.84                       | 30.21      |
| Asian/Pacific Islander            | 5.56                        | 10.65      |
| Other                             | 3.60                        | 4.14       |
| Households with income less than  | 25.17                       | 28.44      |
| 200% Federal Poverty Level (FPL)# | 25.17                       | 20.44      |

**North Coastal Region** 

| Health Outcomes <sup>2</sup>   | Number    | Rate/(%)        | Number | Rate/(%) |  |
|--|-----------|-----------------|--------|----------|--|
| Live Births, % of County Births  | 7,325     | 16.3%           | 44,960 | 100.0%   |  |
| Live Births to Girls, Ages 15-17, % of County births                             | 146       | 2.0%            | 1,058  | 2.4%     |  |
| Live Births with Early Prenatal Care, % of Known Prenatal Care                   | 5,925     | 80.9%           | 36,831 | 82.0%    |  |
| Live Births born Preterm, % of County births                                     | 648       | 9.0%            | 4,420  | 9.9%     |  |
| Low Birth Weight Births, % of County births                                      | 455       | 6.2%            | 2,991  | 6.7%     |  |
| Very Low Birth Weight Births, % of County births                                 | 83        | 1.1%            | 486    | 1.1%     |  |
| Fetal Mortality Rate per 1,000 live births & fetal deaths                        | 29        | 3.9             | 177    | 3.9      |  |
| Infant Mortality, Rate per 1,000 live births                                     | 30        | 4.1             | 199    | 4.4      |  |
| Child Restraint Use, % of MVO Injured†, Ages 0-5                                 | 20        | 58.8%           | 135    | 67.2%    |  |
| Access and Utilization <sup>3</sup>  | North Coa | astal Region (% | ه) Coı | unty (%) |  |
| No Usual Source of Care (ages 18-64)   |           | 15.2            |        | 13.2     |  |
| Uninsured All or Part of Year (ages 18-64)                                       |           | 18.5            |        | 23.2     |  |
| Prescription Drug Coverage (ages 18-64)  |           | 93.9            |        | 94.5     |  |
| Currently Receiving TANF or CalWORKS (all ages, 300% of FPL)                     |           | *               | 3.3    |          |  |
| Single Parents Currently Receiving TANF or CalWORKS (all ages)                   |           | *               | 10.9   |          |  |
| Children Age 6 and Under Currently on WIC  |           | *               | 4      | 42.8     |  |
| Women with Children Under 7 or Are Pregnant on WIC                               |           | 33.4            | 43.5   |          |  |
| Residents Under 200% FPL Receiving Food Stamps                                   |           | *               | 2      | 11.0     |  |
| Children Under 18 Below 200% FPL   |           | 29.5            | 3      | 36.1     |  |
| Health Behaviors & Related Health Factors <sup>3</sup>                           | North Coa | astal Region (% | 6) Coı | unty (%) |  |
| Adults Under 200% FPL Unable to Afford Enough Food                               |           | 30.1            | 3      | 35.1     |  |
| Ate Fast Food 3 or More Times in Past Week (ages 2-17)                           |           | *               | 1      | 15.0     |  |
| Children Who Eat Less Than 5 Servings of Fruits and Vegetables Daily (ages 2-11) | 47.2      |                 | į      | 52.9     |  |
| Mother Aged Under 25 when First Child Born                                       |           | 33.6            | 3      | 38.4     |  |
|  |           |                 |        |          |  |



| Health Behaviors & Related Health Factors <sup>3</sup>                                      | North Coastal Region (%) | County (%) |
|---|--------------------------|------------|
| Women with a High School Degree or Less Education (ages 25+)                                | 22.4                     | 31.3       |
| Child Attends Preschool, Nursery school, or Head Start Program At Least 10 hrs/wk (ages <6) | 17.5                     | 21.5       |
| Child Received Emotional/Psychological Counseling in Past Year (ages 4–11)                  | *                        | 4.5        |
| More Than a Year Since Last Dental Visit (ages 2-11)  | -                        | 2.9        |
| More Than a Year Since Last Dental Visit (ages 12-17)                                       | -                        | 7.5        |
| Tested for STD in Past 12 Months (ages 12-17 who have had sexual intercourse)               | *                        | 36.5       |
| Has had Flu Vaccination in Past 12 Months (ages 0-11)                                       | 56.0                     | 55.6       |

#### Sources

- 1. Current Demographic Estimates, San Diego Association of Governments (SANDAG), 2010.
- County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics Unit, 2011.
- 3. UCLA Center for Health Policy Research, California Health Interview Survey (CHIS), 2009.
- \* Indicates statistically unstable estimate.
- (hyphen) = Estimate is less than 500 people.

†Child Restraint Use percentage is defined as the percentage of children ages 0-5 who are properly restrained as motor vehicle occupants (MVO) in crashes occurring on public roads where the status of restraint use was known. Data are by location of occurrence. The data come from the California Highway Patrol Statewide Integrates Traffic Records System.

#Federal Poverty Level for 2009 (\$10,830 for single person, \$3,740 for each additional person, \$22,050 for four-person-family).

# **San Diego County Health Briefs** North Coastal Region This brief contains 2009 behavioral health data for the North Coastal Region of San Diego County. Data are



provided from the Community Health Statistics Unit and the 2009 California Health Interview Survey.



| Demographics <sup>1</sup>        | North Coastal Region (%) | County (%) |
|----------------------------------|--------------------------|------------|
| Ages 0-14                        | 20.58                    | 19.92      |
| Ages 15-24                       | 17.41                    | 15.67      |
| Ages 25-44                       | 26.72                    | 28.57      |
| Ages 45-64                       | 23.96                    | 24.28      |
| Ages 65+                         | 11.34                    | 11.56      |
| White                            | 58.84                    | 49.78      |
| Black                            | 4.16                     | 5.22       |
| Hispanic                         | 27.84                    | 30.21      |
| Asian/PI                         | 5.56                     | 10.65      |
| Other                            | 3.60                     | 4.14       |
| Households with income less than | 25.17                    | 28.44      |
| 200% FPL†                        | 23.17                    |            |

| Mental Health Behaviors & Related Health Factors <sup>2</sup>  | North Coastal Region (%) | County (%) |
|--|--------------------------|------------|
| Likely Has Had Serious Psychological Distress During Past Year<br>(ages 18+)                                       | 3.3                      | 5.3        |
| Likely Has Had Serious Psychological Distress During Past Month (ages 18+)   | *                        | 2.2        |
| Likely Has Had Serious Psychological Distress During Past Month (ages 12-17)                                       | -                        | 2.2        |
| Emotions Severely Impaired Social Life in Past 12 Months<br>(ages 18+)   | 3.8                      | 6.9        |
| Emotions Severely Impaired Work in Past 12 Months (ages 18+)   | *                        | 4.6        |
| Unable to Work 8 Days or More Due to Mental Problems<br>(ages 18+)   | *                        | 56.5       |
| Saw Any healthcare Provider for Emotional-Mental and/or<br>Alcohol-Drug Issues in Past Year (ages 18+)             | 12.8                     | 13.5       |
| Has Taken Prescription Medicine for 2 or More Weeks for Emotional/<br>Mental Health Issues in Past Year (ages 18+) | 8.9                      | 11.0       |
| Received Psychological/Emotional Counseling in Past Year (ages 12-17)  | *                        | 10.5       |
| Child Received Emotional/Psychological Counseling in Past Year (ages 4-11)   | *                        | 4.5        |
| Ever Seriously Thought About Committing Suicide (ages 18+)   | 7.6                      | 8.0        |

| Substance Abuse Health Behaviors & Related Health Factors <sup>2</sup>       | North Coastal Region (%) | County (%) |
|--|--------------------------|------------|
| Binge Drinking in Past Year (ages 18+)                                       | 31.0                     | 34.8       |
| Ever Tried Marijuana, Cocaine, Sniffing Glue, or Other Drugs<br>(ages 12-17) | *                        | 10.2       |
| Used Marijuana in Past Year (ages 12-17)                                     | *                        | 6.1        |



| Access and Utilization <sup>2</sup>   | North Coastal Region (%) | County (%) |
|---|--------------------------|------------|
| No Usual Source of Care (ages 18-64)  | 15.2                     | 13.2       |
| Uninsured All or Part of Year (ages 18-64)  | 18.5                     | 23.2       |
| Prescription Drug Coverage (ages 18-64)   | 93.9                     | 94.5       |
| Health Behaviors & Related Health Factors <sup>2</sup>                              | North Coastal Region (%) | County (%) |
| Adults Under 200% FPL Unable to Afford Enough Food (ages 18+)                       | 30.1                     | 35.1       |
| Ate Fast Food 3 or More Times in Past Week (ages 2-17)                              | *                        | 15.0       |
| Children Who Eat Less Than 5 Servings of Fruits and Vegetables<br>Daily (ages 2-11) | 47.2                     | 52.9       |
| Mother Aged Under 25 When First Child Born  | 33.6                     | 38.4       |
| Tested for STD in Past 12 Months (ages 12-17 who have had sexual intercourse)       | *                        | 36.5       |

#### **Sources**

- 1. Current Demographic Estimates, San Diego Association of Governments (SANDAG), 2010.
- 2. UCLA Center for Health Policy Research, California Health Interview Survey (CHIS), 2009.
- \* Indicates statistically unstable estimate.
- (hyphen) = Estimate is less than 500 people.
- †Federal Poverty Level for 2009 (\$10,830 for single person, \$3,740 for each additional person, \$22,050 for four-person-family)